

RRST-Mathematics

Applicability of STWS Technique in Solving Linear System of Stiff Delay Differential Equations with Constant Delays

A. Emimal Kanaga Pushpam and D. Paul Dhayabaran*

PG & Research Department of Mathematics, Bishop Heber College, Tiruchirappalli 620 017, Tamil Nadu, India

Article Info	Abstract
Article History Received : 07-06-2011 Revised : 20-08-2011 Accepted : 01-09-2011	This paper presents the Single Term Walsh Series (STWS) technique to determine the numerical solution to stiff linear systems of delay differential equations (DDEs) with single and multiple constant delays. The applicability of this technique is demonstrated with examples of stiff delay systems. The discrete solutions obtained using the STWS technique is compared with their corresponding exact solutions.
*Corresponding Author Tel : +91-9790196151 Fax : +91-4312770293 Email: dphaya@yahoo.com	
©ScholarJournals, SSR	Key Words: WF, BPF, STWS, DDE, Stiff, delay

Introduction

Stiff systems of ordinary differential equations (ODEs) are very important special case of the systems occur in initial value problems. Stiff problems arise in many areas such as chemical kinetics, nuclear reactor theory, control theory, biochemistry, climatology, electronics, fluid dynamics, etc. While solving stiff problems numerically by a given method with assigned tolerance, a step size is restricted by stability requirements rather than by the accuracy demands. This behaviour is usually observed in problems that have some components that decay much more rapidly than other components. Due to this behaviour, ODEs have been divided into stiff and non-stiff problems. Models with either all fast or all slow changing variables are non-stiff problems. Models with both fast and slow changing variables are stiff problems. The problem of stiffness also occurs in DDEs.

Roth [1] has proposed difference methods for solving stiff DDEs. Staay [2] has introduced composite integration-interpolation methods for the solution of stiff DDEs. Bocharov et al.[3] have considered the application of linear multistep methods (LMMs) for the numerical solution of stiff DDEs with several constant delays, which are used in mathematical modelling of immune response. El-Safty and Hussien [4] have obtained the numerical solution of stiff DDEs in the form of Chebyshev series. Guglielmi and Hairer [5] have implemented Radau IIA methods for stiff DDEs. Huang et al. [6] have discussed the error behaviour of general linear methods for stiff DDEs. Bellen and Zennaro [7] have dealt the numerical treatment of DDEs (including stiff problems) in different fields of science and engineering. Zhu and Xiao [8] have discussed parallel two-step ROW-methods (PTSROW methods) for the numerical solution to stiff DDEs and analyzed the stability behaviours of these methods.

The roles of block pulse function (BPF), Walsh function (WF) and Walsh series (WS) have been important in solving delay problems. Chen and Shih [9] have presented the WS method to solve single delay systems. Rao and Srinivasan [10] have applied BPF for synthesis of systems with time delays. Rao and Palanisamy [11] have analysed time delay systems using WFs. Hwang and Shih [12] have studied the optimal control of delay systems via BPF. Palanisamy et al. [13, 14] have presented the STWS technique to discuss the effect of time delay on system performance and for the optimal control of linear time-varying delay systems.

This paper presents the STWS technique for the numerical solution of stiff linear systems of DDEs with single and multiple constant delays. The applicability of this technique is demonstrated with examples of delay systems. The discrete solutions obtained using this technique is compared with their corresponding exact solutions.

STWS Technique to Systems with Single Delay

Consider the system of equations with single delay of the form

$$\begin{aligned} \dot{x}(t) &= Ax(t) + Lx(t - \tau) + Bu(t), \\ x(t) &= \phi(t), \quad t \in [-\tau, 0), \end{aligned} \quad (1)$$

where x is a state vector, \dot{x} is a rate vector, u is an input vector, A , L , and B are $n \times n$, $n \times n$, $n \times 1$ matrices respectively.

The given functions are expanded as STWS in the normalized interval $s \in [0, 1)$ which corresponds to $t \in [0, 1/m)$ by defining $t = s/m$, m being any integer. In the normalized interval, Eqn. (1) becomes

$$\dot{x}(s) = \frac{A}{m} x(s) + \frac{L}{m} x(s-N) + \frac{B}{m} u(s) \quad (2)$$

with $N = \tau m$. Expressing Eqn. (2) in STWS at the k^{th} interval as

$$\begin{aligned} \dot{x}(s) &= T(k) \psi_0(s) \\ x(s) &= S(k) \psi_0(s) \\ x(s-N) &= S(k-N) \psi_0(s) \\ u(s) &= H(k) \psi_0(s) \end{aligned}$$

the following set of recursive equations with the operational matrix for integration $E = \frac{1}{2}$ has been obtained:

$$\begin{aligned} T(k) &= \left[I - \frac{A}{2m} \right]^{-1} G(k) \\ S(k) &= \frac{1}{2} T(k) + x(k-1) \\ x(k) &= T(k) + x(k-1) \end{aligned} \quad (3)$$

where

$$G(k) = \frac{A}{m} x(k-1) + \frac{L}{m} S(k-N) + \frac{B}{m} H(k)$$

for $k = 1, 2, 3, \dots$. Using the recursive relations given by Eqn. (3), piecewise constant solutions of $\dot{x}(t)$ and $x(t)$ can be evaluated for any length of time.

STWS Technique to Systems with Multiple Delays

Consider a system with multiple delays

$$\dot{x} = Ax + \sum_{i=1}^n L_i x(t - \tau_i) + Bu(t - \tau_u), \quad \text{where}$$

$$\begin{aligned} \tau_1 < \tau_2 < \tau_3 \dots < \tau_n, \\ x(t) = \varphi_i(t), \quad -\tau_i \leq t < 0, \end{aligned} \quad (4)$$

$$u(t) = \varphi_u(t), \quad -\tau_u \leq t < 0, \quad x(t_0) = x(0).$$

The given functions are expanded as STWS in the normalized interval $s \in [0, 1)$ which corresponds to $t \in [0, 1/m)$ by defining $t = s/m$, m being any integer. In the normalized interval, Eqn. (4) becomes

$$\begin{aligned} \dot{x}(s) &= \frac{A}{m} x(s) + \sum_{i=1}^n \frac{L_i}{m} x(s - (N_i + \alpha_i)) \\ &+ \frac{1}{m} Bu(s - (N_u + \alpha_u)), \end{aligned} \quad (5)$$

where $\tau_i = (N_i + \alpha_i) / m$ and $\tau_u = (N_u + \alpha_u) / m$.

Here N 's represent the integer parts of the delays and α 's represent the fractional parts.

Expressing Eqn. (5) in STWS, the following set of recursive equations with the operational matrix for integration

$E = \frac{1}{2}$ has been obtained:

$$\begin{aligned} T(k) &= \left[I - \frac{A}{2m} \right]^{-1} G(k) \\ S(k) &= \frac{1}{2} T(k) + x(k-1) \\ x(k) &= T(k) + x(k-1) \end{aligned} \quad (6)$$

where

$$\begin{aligned} G(k) &= \frac{A}{m} x(k-1) \\ &+ \sum_{i=1}^n \frac{L_i}{m} [(1 - \alpha_i)S(k - N_i) + \alpha_i S(k - N_i - 1)] \\ &+ \frac{B}{m} [(1 - \alpha_u)H(k - N_u) + \alpha_u H(k - N_u - 1)], \end{aligned}$$

for $k = 1, 2, 3, \dots$. Using the recursive relations given by Eqn. (6), piecewise constant solutions of $\dot{x}(t)$ and $x(t)$ can be evaluated for any length of time.

Stability of computations in the Walsh series approach to delay differential equations [12]

Consider the function $f(t)$, its Walsh series representation

$f^* = F^T \psi(t)$ and the consequent error all in L_2 -space over the interval $I : t \in [0, 1)$. The representation error $e(t)$ is given by $e(t) = f(t) - f^*(t)$ and F^T is chosen to minimize $\|f - f^*\|$. Under this condition the residual error have an upper bound such that

$$\|e\| \leq \frac{1}{2^{k+1} \sqrt{3}} \sup_I \left(\frac{df}{dt} \right).$$

If the error in representing $\int_0^1 \psi(t) dt$ in terms of $\psi(t)$

is $\gamma^{(t)} = \int_0^t \psi(t) dt - E\psi(t)$, then

$$\|\gamma\| \leq \frac{1}{2^{k+1} \sqrt{3}} \sup_I (f).$$

In view of this, k should be chosen suitably to remove this error totally.

Consider the case of delay differential equations. If the error in representing $\psi(t - \tau)$ in terms of $\psi(t)$ is

$$d(t) = F^T \psi(t - \tau) - F^T D\psi(t), \quad \text{where}$$

$$\tau = (N + \alpha) / m, \quad 0 < \alpha < 1, \quad N = 0, 1, \dots, m-1 \quad \text{and}$$

$m = 2^k$, it has been shown that

$$\|d\| \leq \frac{\alpha(1-\alpha)}{2^k} \left[\sup_{I_\tau} - \inf_{I_\tau} \right]$$

where I_τ is the total interval $[-\tau, 1)$.

$\|d\|$ vanishes if $\alpha = 0$ or 1 and has a maximum value at $\alpha = 1/2$. In view of this, k should be chosen such that α is 0 or 1 to remove this error totally. Stability of computations for the case of multiple delays is a straightforward extension of these ideas.

Numerical Examples

Example 1

Consider the stiff linear delay system with single delay [8]
 $\dot{x}(t) = Lx(t) + Mx(t-0.1) + N, \quad 0 \leq t \leq 10,$
 $x(t) = (1 + e^{-t}, 1 + e^{-2t})^T, \quad -0.1 \leq t \leq 10,$

where

$$L = \begin{pmatrix} -1001 & -125 \\ 8 & 0 \end{pmatrix},$$

$$M = \begin{pmatrix} 1000e^{-0.1} & 125e^{-0.2} \\ -8e^{-0.1} & -2e^{-0.2} \end{pmatrix},$$

$$N = \begin{pmatrix} 1126 - 1000e^{-0.1} - 125e^{-0.2} \\ -8 + 8e^{-0.1} + 2e^{-0.2} \end{pmatrix}.$$

The exact solution is

$$x(t) = (1 + e^{-t}, 1 + e^{-2t})^T.$$

For this problem, the discrete solution has been calculated using the STWS algorithm given by Eqn. (3) with $m = 100$ and been compared with its exact solution. These results are shown in Table 1 and the error graph of this example is shown in Fig. 1.

Example 2

Consider the stiff linear system with multiple delays [4]

$$\dot{x}_1(t) = -\frac{1}{2}x_1(t) - \frac{1}{2}x_2(t-1) + f_1(t),$$

$$\dot{x}_2(t) = -x_2(t) - \frac{1}{2}x_1(t - \frac{1}{2}) + f_2(t),$$

$$t \in [0, 5],$$

with the initial functions

$$x_1(t) = e^{-t/2} \text{ for } -\frac{1}{2} \leq t \leq 0,$$

$$x_2(t) = e^{-t} \text{ for } -1 \leq t \leq 0,$$

and $f_1(t) = \frac{1}{2}e^{-(t-1)}, \quad f_2(t) = \frac{1}{2}e^{-(t-1/2)/2}.$

The exact solution is given by

$$x_1(t) = e^{-t/2}, \quad x_2(t) = e^{-t}.$$

The discrete solution of this system has been calculated using the STWS technique given by Eqn. (3) with $m = 100$. The exact and STWS solutions and the absolute errors between them are shown in Table 2. The error graph of this example is shown in Fig. 2.

Example 3

Consider the stiff delay problem [15]

$$\dot{x}(t) = -1000x + qx(t-1) + c, \quad 0 \leq t \leq 10$$

with $q = 997/\exp(3), \quad c = 1000 - q.$

The exact solution of this problem is given by

$$x(t) = 1 + \exp(-3t).$$

The STWS solution of this example has been calculated using the algorithm given by Eqn. (3) with $m = 100$ and is compared with its exact solution. These results are shown in Table 3. The error graph of this example is shown in Fig. 3.

Example 4

Consider the stiff delay problem [15]

$$\dot{x}(t) = -1000x + qx(t-1) + c, \quad 0 \leq t \leq 10$$

with $q = 999/e, \quad c = 1000 - q.$

The exact solution of this problem is given by

$$x(t) = 1 + \exp(-t).$$

For this problem, the discrete solution has been calculated using the STWS technique given by Eqn. (3) with $m = 100$. The exact and STWS solutions and the absolute errors between them are shown in Table 4. The error graph of this example is shown in Fig. 4.

Table 1

Time t	STWS Solution		Exact Solution		Absolute Error	
	x1	x2	x1	x2	x1	x2
0	2.000000	2.000000	2.000000	2.000000	0.00E+00	0.00E+00
1	1.367473	1.136489	1.367879	1.135335	4.06E-04	1.15E-03
2	1.132522	1.018456	1.135335	1.018316	2.81E-03	1.40E-04
3	1.048516	1.002491	1.049787	1.002479	1.27E-03	1.22E-05
4	1.017421	1.000338	1.018316	1.000335	8.95E-04	2.39E-06
5	1.006456	1.000045	1.006738	1.000045	2.81E-04	2.47E-07
6	1.002299	1.000007	1.002479	1.000006	1.80E-04	4.17E-07
7	1.000819	1.000001	1.000912	1.000001	9.30E-05	3.58E-07
8	1.000303	1.000000	1.000335	1.000000	3.26E-05	1.18E-07
9	1.000115	1.000000	1.000123	1.000000	8.22E-06	1.33E-08
10	1.000044	1.000000	1.000045	1.000000	1.57E-06	6.75E-09

Fig. 1




Table 2

Time t	STWS Solution		Exact Solution		Absolute Error	
	x1	x2	x1	x2	x1	x2
0	1.000000	1.000000	1.000000	1.000000	0.00E+00	0.00E+00
1	0.549037	0.335213	0.606531	0.367879	5.75E-02	3.27E-02
2	0.349543	0.126543	0.367879	0.135335	1.83E-02	8.79E-03
3	0.227179	0.054349	0.22313	0.049787	4.05E-03	4.56E-03
4	0.138985	0.020556	0.135335	0.018316	3.65E-03	2.24E-03 7.74E-04

Fig. 2




Table 3

Time t	STWS Solution	Exact Solution	Absolute Error
0	2	2	0.00E+00
1	1.049638	1.049787	1.49E-04
2	1.002464	1.002479	1.49E-05
3	1.000122	1.000123	1.11E-06
4	1.000006	1.000006	7.34E-08
5	1.000000	1.000000	4.56E-09
6	1.000000	1.000000	2.72E-10
7	1.000000	1.000000	1.58E-11
8	1.000000	1.000000	8.97E-13
9	1.000000	1.000000	5.02E-14
10	1.000000	1.000000	2.22E-15

Fig. 3





Table 4

Time t	STWS Solution	Exact Solution	Absolute Error
0	2	2	0.00E+00
1	1.367512	1.367879	3.68E-04
2	1.135065	1.135335	2.71E-04
3	1.049638	1.049787	1.49E-04
4	1.018242	1.018316	7.32E-05
5	1.006704	1.006738	3.36E-05
6	1.002464	1.002479	1.48E-05
7	1.000906	1.000912	6.36E-06
8	1.000333	1.000335	2.67E-06
9	1.000122	1.000123	1.11E-06
10	1.000045	1.000045	4.52E-07

Fig. 4



Conclusion

In this paper, the STWS technique has been presented to determine the discrete solutions for the linear delay systems with single and multiple constant delays. The stability of computations in the Walsh series approach to DDEs has been discussed. The applicability of the STWS technique has been demonstrated by considering four examples of stiff linear delay systems. The STWS solutions of these systems have been determined and compared with their corresponding exact solutions. From the numerical results, it is observed that the STWS technique is very much applicable and suitable for solving stiff linear delay systems of single as well as multiple constant delays.

References

[1] M. G. Roth, Difference Methods for Stiff Delay Differential Equations, *Report UIUCDCS-R-80-1012, Ph. D. Thesis*, Computer Science Department, University of Illinois, 1980.

[2] D. L. Staay, Composite Integration-Interpolation Methods for the Solution of Stiff Differential-Difference Equations, *Ph.D. Thesis*, Electrical and Computer Engineering Department, Syracuse University, New York, 1982.

[3] G. A. Bocharov, G. I. Marchuk, A. A. Romanyukha, Numerical Solution by LMMs of Stiff Delay Differential Systems Modelling an Immune Response, *Numerische Mathematik*, **73** (1996), 131 – 148.

[4] A. El-Safty, M. A. Hussien, Chebyshev Solution for Stiff Delay Differential Equations, *International Journal of Computer Mathematics*, **68** (1998), 323 – 335.

[5] N. Guglielmi, E. Hairer, Implementing Radau IIA Methods for Stiff Delay Differential Equations, *Computing*, **67** (2001), 1-12.

[6] C. Huang, G. Chen, S. Li, H. Fu, D-Convergence of General Linear Methods for Stiff Delay Differential Equations, *Computers and Mathematics with Applications*, **41** (2001), 627 – 639.

[7] A. Bellen, M. Zennaro, Numerical Solution of Delay Differential Equations, Oxford University Press, Oxford, 2003.

[8] Q. Zhu, A. Xiao, Parallel Two-Step ROW-Methods for Stiff Delay Differential Equations, *Applied Numerical Mathematics*, **59** (2009), 1768 – 1778.

[9] W. L. Chen, Y. P. Shih, Shift Walsh Matrix and Delay Differential Equations, *IEEE Trans. on Automat. Control*, **AC-23** (1978), 1023 - 1028.

- [10] G. P. Rao, T. Srinivasan, Analysis and Synthesis of Dynamic Systems Containing Time Delays via Block-Pulse Functions, *Proc. IEE*, **125** (1978), 1064 - 1068.
- [11] G. P. Rao, K. R. Palanisamy, Analysis of Time-Delay Systems via Walsh Functions, *International Journal of Systems Science*, **15** (1984), 9 – 30.
- [12] C. Hwang, Y. P. Shih, Optimal Control of Delay systems via Block Pulse Functions, *Journal of Optimization Theory and Applications*, **45** (1985), 101 – 112.
- [13] K. R. Palanisamy, K. Balachandran, R. S. Ramasamy, Effect of Time Delay on System Performance via Single-Term Walsh Series Approach, *International Journal of Systems Science*, **19** (1988), 1635 – 1644.
- [14] K. R. Palanisamy, K. Balachandran, R. S. Ramasamy, Optimal Control of Linear Time-varying Delay Systems via Single-Term Walsh Series, *Proc. IEE , Part D, Control theory & Applications*, **135** (1988), [Note(s):332].
- [15] R. Weiner, K. Strehmel, A Type Insensitive Code for Delay Differential Equations Basing on Adaptive and Explicit Runge-Kutta Interpolation Methods, *Computing*, **40**(1988),255–265.